



Spring Valley Lake Association

Board Action/Information—Open Session

BAI
21/11/01

Subject:	EQ Hot Walker Replacement															
From:	Nicolas Gonzalez- Director of Operations															
Date Prepared:	November 2, 2021															
Meeting Date:	November 16, 2021															
History:	The hot walker at the Equestrian Center is 25+ years old. The useful life is 20 years. We are no longer able to purchase parts for it, as it is so outdated.															
Staff Recommendation:	I recommend Centaur Horse Walker Corp.															
Support for Recommendation:	Centaur Horse Walker is a local company and offered a reasonable quote to match the equivalent of what is currently there. Many other companies only offered a 4 horse walker.															
Committee Recommendation:	N/A															
Financial Impact/ Budget Source:	<table> <tr> <td>Estimated cost on reserve</td> <td>\$10,000.00</td> </tr> <tr> <td>5 Horse Hot Walker with Variable speed</td> <td>\$8,395.00</td> </tr> <tr> <td>Installation of 6'x 6' concrete pad</td> <td>\$800.00</td> </tr> <tr> <td>Delivery</td> <td>\$315.00</td> </tr> <tr> <td>Assembly of Walker</td> <td>\$100.00</td> </tr> <tr> <td>Total Cost</td> <td>\$9,610.00</td> </tr> <tr> <td><u>Remining on Reserve Estimate</u></td> <td><u>\$390.00</u></td> </tr> </table>		Estimated cost on reserve	\$10,000.00	5 Horse Hot Walker with Variable speed	\$8,395.00	Installation of 6'x 6' concrete pad	\$800.00	Delivery	\$315.00	Assembly of Walker	\$100.00	Total Cost	\$9,610.00	<u>Remining on Reserve Estimate</u>	<u>\$390.00</u>
Estimated cost on reserve	\$10,000.00															
5 Horse Hot Walker with Variable speed	\$8,395.00															
Installation of 6'x 6' concrete pad	\$800.00															
Delivery	\$315.00															
Assembly of Walker	\$100.00															
Total Cost	\$9,610.00															
<u>Remining on Reserve Estimate</u>	<u>\$390.00</u>															
Desired Board Action:																
Person Submitting: Nicolas Gonzalez		General Manager: Alfred Logan														